



Dateline Products, LLC


1375 E. Baseline Street, Unit B
San Bernardino, CA 92410

Phone: (909) 888-9785

Fax: (909) 888-0782

ASSEMBLY INSTRUCTIONS

Model 00250 **WORKBENCH**



For assembly support, please call
Dateline Products at (909) 888-9785.

Do not return unit to store.


00250 WORKBENCH PARTS LIST

Item	Description	Qty.	Item	Description	Qty.
1R	Right - Long Rear Angle Post	1	9	Drawer Beam Front	1
1L	Left - Long Rear Angle Post	1	9A	Drawer Beam Back	1
2R	Right - Short Rear Angle Post	1	10	Bench Board	2
2L	Left - Short Rear Angle Post	1	11	Shelf Board	1
3	Front Angle Post	2	12	Drawer Board	1
4	24" Double Rivet Beam	4	13	Peg Board	1
5	48" Double Rivet Beam	4	14	Peg Board Washers	4
6	Work Center Shelf Beam	2	15	Peg Board Screws	4
6R	Right - Work Center Shelf Side	1	16	Peg Board Nuts	4
6L	Left - Work Center Shelf Side	1	17	Right Drawer Glide	1
7	24" Drawer Mount	2	18	Left Drawer Glide	1
8	Drawer Side	2	19	Handle Kit	1

TOOLS REQUIRED:

Screwdriver

Rubber Mallet (optional)




Step 1: ANGLE POST ASSEMBLY

Assemble a Rear Angle Post, a Front Angle Post (**Item 3**) and a 24" Drawer Mount (**Item 7**).

Install the Drawer Mount into the 3rd and 4th keyhole of the Front Angle Post and the 5th and 6th keyhole of the mid-section of the Back Angle Post. Tap the Drawer Mount firmly near the joints with a Rubber Mallet.

Note: Make sure the open side of the drawer mount is facing out. Refer to detail. Apply the above procedure for both right and left side frames.




Step 2: BEAM ASSEMBLY

Install a 24" Double Rivet Beam (**Item 4**) into the bottom keyholes of both Rear and Front Angle Posts.

Note: Make sure Beam flange is upright - **refer to detail**.

Install an additional 24" Double Rivet Beam to the top keyholes of the Front Angle Posts and the 3rd and 4th keyhole of the mid-section of Rear Angle Post. Tap the Beam firmly with mallet at the joints to secure pieces together.

Apply the above procedure for both right and left side frames.



Step 3: REAR TOP BEAM


Assemble a 48" Double Rivet Beam (**Item 5**) to the rear 3rd & 4th keyholes of the mid-section of the left and right frames. Make sure flange is up - **refer to detail**.

Tap the beam close to its joints to secure it in place.

Step 4: REAR BOTTOM BEAM

Assemble a 48" Double Rivet Beam (**Item 5**) to the rear bottom keyholes of the left and right frames. Make sure flange is up - **refer to detail**.


Tap the beam close to its joints to secure it in place.



REAR ANGLE POST ASSEMBLY:

Assemble Top Rear Posts to Bottom Rear Posts (**Item 2R to 1R and Item 2L to 1L**)

[Note: Right Rear Post Assembly Shown in Picture to the Right, Final Rear Angle Post Assemblies Shown Below.]



Step 5: FRONT TOP BEAM


Assemble a 48" Double Rivet Beam (**Item 5**) to the front top keyholes of the left and right frames. Make sure flange is up - **refer to detail**.

Tap the beam close to its joints to secure it in place.

Step 6: FRONT BOTTOM BEAM

Assemble a 48" Double Rivet Beam (**Item 5**) to the front bottom keyholes of the left and right frames. Make sure flange is up - **refer to detail**.

Tap the beam close to its joints to lock it in place.




Step 7: WORK CENTER SHELF

Pre-Assemble the 48" Work Center Shelf (Items 6, 6L and 6R) as shown. **Make sure the flanges are down.**


Tap all connections close to their joints to lock in place.

Install assembled Shelf into the back, top keyholes. Tap to lock assembly into Rear Angle Posts.



Step 8: WORK CENTER BEAM & SHELF

Assemble the Work Center Beam (**Item 6**) by aligning it into the rear keyholes of the right and left angle posts. Once the Work Center Beam is in the keyholes, tap firmly near its joints with a mallet to secure it into place.




Step 9: PREPARING DRAWER GLIDES

Disassemble the Left and Right Drawer Glides (**Items 17 & 18**) into two parts by pressing the plastic lever and pulling the parts away from each other. **Refer to detail.**

Glide parts

A- Illustrates the outer mounting channel

B- Illustrates the inner slide. NOTE: The above disassembly procedures apply to both Left Drawer Glides (**Item 18**) and Right Drawer Glides (**Item 17**).




Step 10: INSTALLING DRAWER GLIDES TO FRAME

Note: the Outer mounting channels of the Left and Right Drawer Glides disassembled in Step 9 will be used here. (refer to Step 9 Glide part A).

Install the left outer mounting channel to the drawer mount on the left end of frame. First, secure rear tab by pushing it in and back (**refer to detail**). Second, lock front tab by pushing it in and down (**refer to detail**).

Repeat to install right outer mounting channel to right end of frame.




Step 11: DRAWER ASSEMBLY

Align and insert rivets of the Front Drawer Beam (**Item 9**) and Rear Drawer Beam (**Item 9A**) into the keyholes of both Right and Left Drawer Sides (**Item 8**). Then tap the Drawer Beams (**Items 9 and 9A**) firmly near the joints with a mallet securing the drawer frame together. Insert Drawer Board (**Item 12**) into assembled drawer frame.

Assemble the left glide inner slide (refer to Step 9 Glide part -B-) into the slots of the drawer side. First, secure rear tab by pushing it in and forward. Second, lock front tab by pushing it in and up.


Repeat the above procedure for the Right Glide inner slide.



Step 12: INSERTING DRAWER

On the workbench frame, extend out the Drawer Glides on the outer mounting channels (**see Step 9**). Align the inner slide on drawer to the Drawer Glide on the frame (**refer to detail**). Slide the Glide Tracks into the Drawer Glides together until the drawer is completely closed.

Be sure to open and close the drawer to lock the glide pieces together.




Step 13: PEGBOARD INSTALLATION

Align the holes of the Pegboard (**Item 13**) to the upper holes on rear post of the frame (**enlarged detail to the right shows backside of frame**). Insert a Pegboard Screw (**Item 15**) from the front through the rear angle post and Pegboard, place Washer (**Item 14**) and fasten with Hex Nut (**Item 16**). Start with the two top holes working down to the two bottom holes.

Refer to detail.

Keep the fasteners loose until all screws, washers and nuts are in place. This facilitates the alignment of the screws through the holes.




Step 14: SHELF BOARD and HANDLE INSTALLATION

Install the Shelf Board (**Item 11**) into the work Center Shelf Frame and release it into the frame.

Install one Bench Board (**Item 10**) on top of frame.

Install the remaining Bench Board (**Item 10**) into the lower frame.

Install the Handle (**Item 19 Kit**) to Drawer Front as shown.



Lifetime Limited Warranty

This warranty is extended on to the original Consumer of our products. This warranty gives you specific legal rights and you may also have legal rights which vary from state to state.

Dateline Products, LLC products are warranted against manufacturing defects in material and workmanship for 90 days from the date of purchase. The warranty period for the consumer commenced on the purchase date from the Seller. If within such warranty period, a component shall be proved to Dateline Products, LLC's satisfaction to be defective, such products shall be repaired or replaced, at Dateline Products, LLC's option.

Dateline Products, LLC's SOLE OBLIGATION AND YOUR EXCLUSIVE REMEDY UNDER THIS WARRANTY SHALL BE LIMITED TO SUCH REPAIR AND/OR REPLACEMENT.

Limitations and Exclusions: This limited warranty is the only express warranty given and does not cover damage, breakage or loss arising from accident, misuse, excessive loading, or failure to assemble or maintain the product according to applicable instructions. This warranty only covers the original Consumer and excludes scratches, chipping, rust, dents, or other damages to the surface of the product.

For warranty service, please mail the defective component to Dateline Products, LLC at the address below, along with the Consumer's proof of purchase and a letter explaining the defect. Transportation charges to Dateline Products, LLC are the expense of the Consumer. Return transportation charges will be paid by Dateline Products, LLC.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES. IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND SHALL NOT EXTEND BEYOND THE DURATION OF THE EXPRESS WARRANTY PROVIDED HEREIN. DATELINE PRODUCTS SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGE WHATSOEVER.

Some states do not allow the exclusion or limitation of incidental or consequential damage, or limitation on how long an implied warranty lasts, so the above exclusions and limitations may not apply to you.

Garantía Limitada

Esta garantía se extiende al consumidor original de nuestros productos. Esta garantía le otorga derechos legales específicos y también podría usted tener derechos legales que varían de estado a estado.

Los productos de Dateline Products, LLC son garantizados contra defectos de fabricación en cuanto al material y la construcción, hasta 90 días de la fecha de su compra. El periodo de garantía para el consumidor comenzó el día que el producto se compró del vendedor. Si durante este periodo de garantía se prueba a satisfacción de Dateline Products, LLC que alguna parte está defectuosa, tales partes o productos serán reparados o reemplazados, según opción de Dateline Products, LLC.

La única obligación de Dateline Products, LLC y su remedio exclusivo bajo esta garantía serán limitados a tal reparo o reemplazo.

Limitaciones y exclusiones: Esta garantía limitada es la única garantía expresa otorgada y no cubre daños, roturas o pérdidas a consecuencia de accidente, mal uso, cargar excesivamente, o fallar de ensamblar o mantener el producto según las instrucciones aplicables. Esta garantía solo cubre al consumidor original y excluye raspaduras, picaduras, moño, indentaciones, o otros daños a la superficie del producto.

Para servicio de garantía, favor de enviar por correo el componente defectuoso a Dateline Products, LLC al domicilio indicado abajo, acompañado del recibo o prueba de compra y una carta explicando el defecto. Costos de transportación a Dateline Products, LLC, son del consumidor. Costos de transportación de envío de regreso serán pagados por Dateline Products, LLC.

La garantía anterior es exclusiva y en lugar de toda otra garantía expresa, garantías implícitas, incluyendo pero no limitadas a las garantías implícitas de mercadería y garantías de uso particular adecuado, y no se extenderá más allá de la duración de la garantía expresada proveída aquí. Dateline Products, LLC no será responsable de cualquier daño consequential o incidental por ningún motivo.

Algunos estados no permiten la exclusión o limitación de daños incidentales o de consecuencia, o limitación de cuanto dura una garantía implícita, así que las exclusiones y limitaciones enumeradas anteriormente tal vez no apliquen a usted.

Garantie à vie limitée

Cette garantie s'applique au consommateur initial ayant acheté nos produits.

Cette garantie vous donne des droits spécifiques. Vous pouvez également jouir d'autres droits en fonction du pays dans lequel vous vous trouvez.

Les produits Dateline Products, LLC sont garantis contre tout vice de matériau et de fabrication pour une période de 90 jours à compter de la date de l'achat. La garantie s'applique à compter de la date de l'achat par le consommateur. Si au cours de la période de garantie il est prouvé, à la satisfaction de Dateline Products, LLC, qu'un élément est défectueux, ces produits seront réparés ou remplacés, selon le choix de Dateline Products, LLC.

L'unique obligation de Dateline Products, LLC et votre seul recours sous cette garantie se limite à cette réparation et/ou remplacement.

Limitations et exclusions : Cette garantie limitée est la seule garantie expresse apportée et ne s'applique pas aux dommages, au bris ou perte résultant d'un accident, une utilisation inadaptée, une charge excessive, ou suite à l'assemblage ou à l'entretien non conforme du produit. Cette garantie s'applique au consommateur initial et ne s'applique pas aux égratignures, aux écornures, à la rouille, aux bosselures, ou tout autre dommage causé à la surface du produit.

Pour le service sous garantie, veuillez poster l'élément défectueux à Dateline Products, LLC dont l'adresse est indiquée ci-dessous. Inclure une preuve d'achat et une lettre expliquant le défaut. Le consommateur doit payer les frais de transport. Les frais de transport de retour seront payés par Dateline Products, LLC.

Aucune autre garantie, écrite ou orale, expresse ou implicite ne s'applique. Les garanties implicites concernant la commercialisation ou le caractère adéquat du produit à une utilisation spécifique ne dépassera pas la période expresse de la garantie accordée. Dateline Products, LLC ne sera pas responsable des dommages indirects ou accessoires.

Certains pays n'autorisent pas l'exclusion ou la limitation des dommages indirects ou accessoires, ou une limitation sur la durée d'une garantie implicite. Il se peut que les limitations ou les exclusions citées ci-dessus ne s'appliquent pas à vous.